

NPS-57Bp74041

NAVAL POSTGRADUATE SCHOOL

Monterey, California



A DISCUSSION OF DYNAMIC CRACK
PROPAGATION IN BENT PLATES

R. E. BALL

APRIL 1974

Interim Report for Period 1 July 1973 - 30 June 1974

Approved for public release; distribution unlimited

Prepared for:
Naval Weapons Center
Lake, California 93555

FEDDOCS
D 208.14/2:NPS-57Bp74041

NAVAL POSTGRADUATE SCHOOL
Monterey, California

Rear Admiral I. W. Linder
Superintendent

Jack R. Borsting
Provost

The work reported herein was supported by the Naval Weapons Center,
China Lake, California.

Reproduction of all or part of this report is authorized.

This report was prepared by:

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER NPS-57Bp74041	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) A DISCUSSION OF DYNAMIC CRACK PROPAGATION IN BENT PLATES		5. TYPE OF REPORT & PERIOD COVERED Interim Report 1 July 1973 - 30 June 1974
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) R. E. BALL		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Postgraduate School Monterey, California 93940 Code 57Bp		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS P0-4-0075; 1511081203
11. CONTROLLING OFFICE NAME AND ADDRESS Naval Weapons Center China Lake, California 93555		12. REPORT DATE April 1974
		13. NUMBER OF PAGES 6
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) A major goal of the hydraulic ram technology program for aircraft fuel tanks is the development of analytical - numerical tools for the accurate prediction of damage to the tank due to a ballistic projectile. This report discusses the problem of cracking of the tank walls due to hydraulic ram pressures from the penetrating projectile. A bibliography of studies on dynamic crack propagation in transversely deflected thin plates is presented.		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE
S/N 0102-014-6601

ii

UNCLASSIFIED
SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

A major goal of the hydraulic ram technology program is the development of analytical-numerical tools for the accurate prediction of the damage incurred by an aircraft fuel tank when hit by a ballistic projectile. Tests and simplified analyses have shown that the walls of the fuel tank where the bullet enters and where it exits may suffer severe cracking and petalling. This cracking and petalling is caused by the intense loading on the wall due to the passage of the bullet through the fluid. High speed photography has shown that the exit wall may crack prior to penetration by the projectile. These films also show that severe cracking of the exit wall occurs relatively early in the response time period. Similar results of early cracking have been documented for entry wall cracking due to penetration into fluid filled tanks by high speed spherical projectiles i.e., the meteoroid problem in outer space.

A somewhat related dynamic cracking situation is the empirical explosion bulge test, which is a NAVSHIPS standard procedure for preproduction testing of materials. Briefly, this test consists of bulging a test plate into a die with a circular cutout using an explosive charge. The tests are run at various temperatures to determine the temperature at which a crack is initiated but is arrested when it reaches the elastic hold-down region of the plate, and the temperature at which the plate shatters with very little overall plastic deformation. The explosive charge and standoff distance are such that a 3-5% thinning of the plate is produced at a temperature at least 60° F above the temperature at which the plate shatters.

At the present time, very little experimental or analytical detailed information is available regarding the progressive dynamic cracking of a plate subjected to a transient normal pressure. It appears that no theory or computer tool has yet been formulated that will predict the cracking of the transiently loaded plate as a function of time.* The complications involved in the cracking process are many. Among them are:

- 1) a three dimensional stress state
- 2) transient conditions
- 3) large geometry changes
- 4) a change in the stress distribution throughout the plate due to cracking.

The theory requires a criterion for crack initiation and propagation in bent plates, inclusion of strain rate effects, and consideration of material yielding and shear and cleavage fractures.

There are many books, reports, and papers devoted to the subject of fracture of metals and the behavior of metals under impulsive load. These books and papers usually devote many pages to the individual problems mentioned above, but it appears that no one has yet considered the total problem of interest here. A list of some of the appropriate books, reports, and papers is attached.

Our problem can be formulated in the following way. First, the loading on the wall and the elastic response of the wall prior to yielding and cracking must be determined. This provides a transient stress state. Comparing this state with a yield condition will determine if yielding occurs.

*There is a computer code available called CRACKS. This code predicts the crack propagation in cyclic loaded structures. It is applicable to oscillatory loading conditions such as those due to unbalanced machinery or engines, and certain flight conditions. It is not applicable to the problem under consideration here of a single, intense loading condition.

If it does, this must be taken into account in the subsequent response computations. (The Northrup Code BR-1 does this.) A flow rule relating stress and elastic and inelastic strain, or their increments, must be selected. As the response continues in time it must be compared to a fracture criterion. If fracture occurs, the structure has been changed, and this must be taken into account in the subsequent response computations since the cracks will affect the stress distribution in the plate.* The conditions for crack propagation must be examined to see if the cracks will continue to propagate. Large geometry changes will occur if the wall starts to petal outward. This affects the loading on the wall. The problem is further complicated by the penetration of the projectile through the wall.

Our approach to the solution to this problem is to develop a computer code, or modify an existing one such as the BR-1 code, that can be used to predict the initiation and propagation of cracks in a plate loaded by a transient normal pressure. The code will use either finite elements, or finite differences, or a combination of the two to compute the transient stress distribution. A theory of crack initiation and propagation will be selected from the current theories**, and incorporated into the code. Tests on blast loaded plates will be conducted at NWC to obtain experimental data to be compared with the analytical predictions.

*With regard to the computation of the changed stress distribution due to the crack, the finite element method has recently been used to predict the stress field in the vicinity of cracks.

**A promising theory is the one proposed by SRI in "Dynamic Fracture Criteria of Homogeneous Materials," by Barbee, T., Seaman, L., and Crewdson, R., AFWL-TR-72-99, November 1970.

BIBLIOGRAPHY

I. Books and Conference Proceedings

1. Rinehart, John, S., and Pearson, John, Behavior of Metals Under Impulsive Load, American Society for Metals, Cleveland, Ohio, 1954.
2. Fracturing of Metals, 29th Nat. Metal Congress and Exposition, Chicago, 1947, American Society for Metals, Cleveland, Ohio, 1952.
3. Rinehart, John S., and Pearson, John, Explosive Working of Metals, The MacMillan Co., N.Y., 1963.
4. The Properties of Materials at High Rates of Strain, Proceedings of the Conf. on 30 April - 2 May, 1957, The Institution of Mechanical Engineers, London.
5. Fracture of Solids, Proceedings of International Conf., Maple Valley, Valley, Wash., Aug 21-24, 1962, Metallurgical Society Conferences, Vol. 20, Interscience Publishers.
6. Fracture of Engineering Materials, American Society for Metals, 1964.
7. Impact Testing of Metals, ASTM Special Tech Pub. 466, ASTM, 1970.
8. Fracture, An Advanced Treatise, Ed. H. Liebowitz, Academic Press, New York, 1971.
9. Yokobori, Takeo, An Interdisciplinary Approach to Fracture and Strength of Solids, Translated by S. Matsus, Ed. by J. Crisp, Wolters-Noordhoff Scientific Pub. Ltd., Groningen, The Netherlands, 1968.
10. Dynamic Response of Materials to Intense Impulsive Loading, Ed. P. C. Chou and A. K. Hopkins, AFML, 1973.

II. Papers and Reports

1. Rinehart, J. S., "On Fractures Caused by Explosions and Impacts", Quart. Colorado School of Mines.
2. Gonzalez, H., Jr., and Brinson, H. F., "The Dynamic Orthotropic Dugdale Model", Virginia Polytechnic Inst., VPI-E-20-13, Aug. 1970.
3. Red, W. E., and McMunn, J.C., "Finite Element Analysis of Static and Dynamic Stresses Around Suddenly Punched Holes in Plates and Shells", J. Computers and Structures, Vol. 3, pp 1275-1292, 1973.
4. Bronson, H. F., and Gonzalez, H., Jr., "The Dugdale Model Applied to the Transverse Bending of Plates," Virginia Polytechnic Inst., VPI-E-71-11, June 1971.
5. Sih, G. C., "Dynamic Aspects of Crack Propagation," Lehigh Univ. Project Thesis, IR-1, Sept. 1969.
6. Kobayashi, A. S., and Wade, B. G., "Crack Propagation and Arrest in Impacted Plates", Univ. of Washington, TR 14, July 1972.
7. Candogan, A., and Reifsnider, K. L., "A Finite Element Method for the Determination of Two-Dimensional Residual Stress Fields," Virginia Polytechnic Inst., VPI-E-73-26, Sept. 1973.
8. Hegarty, R. F., and Animon, T., "Dynamic Analysis of Cracked Naval Vessels," Univ. of Notre Dame, TR-UND-73-10.
9. DeRosset, W., "Coalescence of Cavities During Dynamic Fracture," USA Ballistic Research Labs, BRL R 1631, Jan. 1973.
10. Engle, R. M. Jr., "Cracks, A Fortran IV Digital Computer Program for Crack Propagation Analysis", Air Force Flight Dynamics Lab., AFFDL-TR-70-107, Oct. 1970.

11. Barker, T., et al., "Dynamic Fracture Criteria of Homogeneous Materials," Stanford Research Inst., AFWL-TR-70-99, Nov. 1970.
12. Andrews, W. R. and Mowbray, D. R., "On the Use of Finite Elements and Compliance Calculations for Determining Crack Tip Stress Intensity Factors," Knolls Atomic Power Lab., KAPL-P-3815, Mar. 1969.
13. Harris, D. O., "Crack Extension in Transversely Loaded Elastic Plates," Stanford Univ., Rpt No. TR-8, May 1969.
14. Soltesz, U. and Sommer, E., "The Displacement of the Crack Margin Under Dynamic Loads," Fraunhofer Institute, Freiburg (West Germany), Rpt.-1/70.
15. Sue, C. and Keer, L., "On the Bending of Cracked Plates," Aerospace Corp., SAMSO-TR-70-34, Dec. 1969.
16. Williams, M. L., "Computer Simulation of Fracture," Lawrence Radiation Lab., CONF-700910-1, Aug. 1970.
17. Byskov, E., "The Calculation of Stress Intensity Factors Using the Finite Element Method with Cracked Elements," Int. J. of Fracture Mech., Vol. 6, No. 2, 1970, pp. 159-167.
18. Pian, T., et al., "Elastic Crack Analysis by a Finite Element Hybrid Method," MIT, AFOSR-TR-72-0752, Dec. 1971.
19. Nuismer, R. and Achenbach, J., "Dynamically Induced Fracture," J. Mech. and Physics of Solids, Vol. 20, 1972, pp. 203-222.

DISTRIBUTION LIST

	<u>No. of Copies</u>
1. Library Code 0212 Naval Postgraduate School Monterey, CA 93940	2
2. Defense Documentation Center Cameron Station Alexandria, VA 22314	12
3. Department of Aeronautics Code 57 Naval Postgraduate School Monterey, CA 93940	
Prof. R. W. Bell, Chairman	1
Assoc. Prof. R. E. Ball	2
4. Dean of Research Code 023 Naval Postgraduate School Monterey, CA 93940	1
5. Naval Weapons Center China Lake, CA 93555 Attn: Mr. Wallace Fung Code 5114	5
6. Air Force Flight Dynamics Laboratory Wright-Patterson AFB, OH 45433 Attn: Capt. Phillip Fry	1

U162029

DUDLEY KNOX LIBRARY - RESEARCH REPORTS



5 6853 01067786 7

~~UI62029~~